



CATALOGUE 2022



Reliable products, designed to last for many years to preserve the environment.
As our natural resources are limited, we must protect and recycle for future generations.
Our products are made from 95% recycled plastic waste.

Leaders in our market, we are constantly looking for new products and solutions to improve the durability of our products and simplify their installation. Fiberdeck is a young and dynamic team that shares the same values and encourages collaborative work. The respect of all our employees is the key of our success.




TABLE OF CONTENTS



DECKING

BROOKLYN	11
HERITAGE	13
MANHATTAN	15
VINTAGE	17



FENCING

COLLECTION FANTASY	31
COLLECTION COMBO	35
COLLECTION OPEN	37
COLLECTION CLARITY	39
COLLECTION URBAN	41




CLADDING

WEO® CLASSIC	56
WEO® 35	58
WEO® 60	60
WEO® BRISE-SOLEIL	62



A WOOD PLASTIC COMPOSITE WITH A GREAT PERFORMANCE



CO-EXTRUSION, PREMIUM TECHNOLOGY

Co-extrusion is the new technology that is revolutionizing the wood plastic composite market. The frequent problems of staining and discoloration of first generation mono-extruded boards led us to use the co extrusion technology. It consists of applying a very thin plastic film in fusion directly to the core. This waterproof film protects the wood from any moisture issues and stabilizes the material. Expansion is also reduced to a minimum. Our 100% co-extruded Fiberdeck® decking profiles offer a much higher quality than any other product on the market.

20 YEARS WARRANTY WITHOUT ANY DISCOLORATION

With nearly 10 years of experience with this new technology and several million square meters marketed to date in a wide variety of climates, we can guarantee our products for 20 years without any visible discoloration.



UNIQUE DECORS AND STRIKING COLORS


With nice patterns, colors and textures similar to exotic woods, our co-extruded boards provide a unique emotion to live for an exclusive experience. The technical and aesthetic qualities are a guarantee of serenity for the final user. With a matte appearance, the colors that dress the boards are intense and multi-chromatic. No two boards are identical, the manufacturing process allows for a variety of random shades. The decking projects created blend harmoniously into their environment. The result is unique, without equivalent on the market in terms of aesthetics and quality.

 **fiberdeck.com**




ADVANTAGES COMPARING TO OTHER COMPOSITE WOODS

- ✓ Made from 95% recycled materials
- ✓ Warranted for 20 years without fading
- ✓ Unique natural decors and textures
- ✓ Stain Resistant
- ✓ Very high dimensional stability
- ✓ Easy to install



A HIGH QUALITY & DURABLE WOOD PLASTIC COMPOSITE

Fiberdeck is committed to the durability of its products and warrants its decking, cladding and fencing range between 10 and 25 years (commercial, professional or public/residential use) against splintering and structural damage due to fungus, insects or termites, as well as the color and stain resistance of the products over the same period.



ULTRA LOW MAINTENANCE

A simple cleaning with a high pressure water jet (120 bars) is sufficient to clean your Fiberdeck deck. Thanks to the plastic protective coating, Fiberdeck decking will not turn gray or stain. The natural color, look and feel of the wood will persist in the most extreme climates and temperatures.

The aesthetics of the pattern are preserved over several decades while generating maintenance savings.



AND MADE WITH 95% RECYCLED WASTE

Fiberdeck decking is made of 95% recycled wood waste and polymers. The wood, the main component with nearly 60% of the volume, comes from FSC-certified sawdust from secondary industries. The polymers come from recycled plastic bottles. We recycle 40 million plastic bottles in our products every year. Thousands of tons of plastic waste are thus recycled to produce a product with superior performance to natural wood.

BROOKLYN



HERITAGE



TERRASSE

MANHATTAN



VINTAGE





A REVERSIBLE PROFILE WITH A CHOICE OF TWO DECORS


BROOKLYN boards offer a choice of smooth or textured wood grain in 4 multi-chromatic colors. The co-extrusion protection layer on both sides guarantees a very low expansion of the boards and a durable color over time. The finishing boards associated with this range can be adapted to all configurations.

Boards can be easily removed with Cobra® Hybrid hidden fasteners.



BROOKLYN

 **REVERSIBLE
BOARD**



Light Grey	Dark Grey	Teak	Ipe
Ref. 1239	Ref. 1238	Ref. 1241	Ref. 1240
Ref. 1243	Ref. 1242	Ref. 1245	Ref. 1244
Ref. 1247	Ref. 1246	Ref. 1249	Ref. 1248
Ref. 0707	Ref. 0706	Ref. 0895	Ref. 0708



Non-slip R11



Anti-stain



15 years warranty



UV resistant

LIGHT GREY




DARK GREY



TEAK



IPE





A BOARD WITH A SCULPTED CHARACTER

The new HERITAGE board has a unique design that perfectly imitates an exotic wood. The pores of the wood are reproduced down to the smallest detail. The surface of the board has irregularities that catch the light and give it rhythm. This is an «adze» look that corresponds to the ancestral tool used by carpenters to flatten a piece of wood. This board has a new co-extrusion hard cap that is highly resistant to chocs and abrasion. The protective layer is hard and limits scratches. This layer is present on all 4 sides of the board.

HERITAGE



23 x 138 x 4000 mm



23 x 138 x 3000 mm

Ocean Gray	Indian Summer	Havana Brown
Ref. 1225	Ref. 1226	Ref. 1227
Ref. 1250	Ref. 1253	Ref. 1252



Anti-stain



20 years warranty



UV resistant


OCEAN GRAY



INDIAN SUMMER



HAVANA BROWN





SMOOTH OR REEDED, A STRIKING WOOD DECOR!

MANHATTAN decking offers a choice of smooth or reeded faces in four multi-chromatic colors. The colors are warranted for 20 years and the decking requires very low maintenance. The grooves catch the light to give relief to the decking. The finishing boards, associated with this range, allow to realize all types of finishes such as swimming pools borders, stairs and skirting boards.



 **REVERSIBLE
BOARD**

MANHATTAN



22,5 x 138 x 3600 mm



22,5 x 138 x 3000 mm



10 x 84 x 2400 mm

Dark grey

Ref. 0986

Light grey

Ref. 0892

ipe

Ref. 1028

Teak

Ref. 0893

Ref. 1246

Ref. 1247

Ref. 1248

Ref. 1249

Ref. 0706

Ref. 0894

Ref. 0708

Ref. 0895



Anti-stain



20 years warranty




UV resistant



Non-slip R11

DARK GREY




LIGHT GREY



IPE



TEAK









A REMARKABLE AND UNIQUE LOOK OF OLD WOOD

VINTAGE boards brilliantly reproduce the look of boards that have aged over time. The embossed material of the wood fibers provides a natural wood feel. Available in 2 widths and 3 colors: Wengé, Lunar Grey and Graphite, these solid boards are made of 2 decors. The co-extrusion layer guarantees their color for 20 years without fading. VINTAGE decking is designed to last with very low maintenance.


VINTAGE



 **REVERSIBLE
BOARD**

	Graphite	Lunar Grey	Wengé
	Ref. 1125	Ref. 1126	Ref. 1127
	Ref. 1128	Ref. 1129	Ref. 1130
	Ref. 1131	Ref. 1132	Ref. 1133


GRAPHITE



LUNAR GREY



WENGÉ



Anti-stain




20 years warranty



UV resistant

BOSTON WPC FENCING





THE BOSTON CONCEPT

Fiberdeck®


Modular elements and very easy to install.

The posts are fixed either in the ground or on a concrete slab or low wall using anchors.

All designs are supplied with all the necessary fencing connectors.


No screws or nails!

The fence is very easily assembled thanks to connectors and stackable elements with a simple Allen Key.



FANTASY

PANELS WITH DECORS



COMBO


COMBINED PANELS



FENCING

OPEN

OPENWORK PANELS



CLARITY


PANELS WITH FROSTED GLASS



URBAN

PANELS MADE OF HPL








THE BOARDS

ALUMINIUM

Qualicoat certified, the aluminium slats, as well as the posts and decorations, are powder coated (RAL7016). They therefore have excellent durability and good resistance to the elements. These slats can be combined harmoniously with the composite slats and decors to create structured patterns.




21 x 150 x 1780 mm



21 x 100 x 1780 mm



21 x 45 x 1780 mm



21 x 150 x 1780 mm
Ref. 0868

21 x 100 x 1780mm
Ref. 1197

21 x 45 x 1780mm
Ref. 1198




THE BOARDS


PREMIUM

The latest co-extrusion technology ensures that these composite wood boards are not only guaranteed against insect and termite attack, but are also resistant to the sun's UV rays and therefore guaranteed for 20 years against discolouration and staining.

A thin layer of polymer protects them all over their surface to ensure a perfect seal. Finally, to give the fence extra strength, the boards can be stiffened with galvanised steel reinforcements.




21 x 150 x 1780 mm




Dark Grey

Ref. 1232




Ipé

Ref. 1233



Teak

Ref. 1234



Light Grey

Ref. 1235






THE BOARDS

MODERN


Using the same technology as PREMIUM range, these wood composite boards are also guaranteed not to fade in the most extreme conditions. They have a very modern look with a very contemporary faux-louvered appearance imitating thin wooden slats.

Available in a choice of 2 colors: Teak and Dark Grey.

These boards can also be stiffened with galvanised steel reinforcements.




21 x 150 x 1780 mm



Teak


Ref. 1121



Dark Grey

Ref. 1118






THE BOARDS


NATURE

NATURE wood composite boards are made of bio-based materials from 60% wood fibres and 40% recycled polyethylene. They are naturally resistant to insect and termite attacks and extreme weather conditions without treatment.

They are available in two colors : Anthracite et Platinum.




21 x 150 x 1780 mm



Anthracite

Ref. 1237



Platinum

Ref. 1236





THE PANELS

HPL

HPL is a composite material made of paper impregnated with thermosetting resin, heated and put under pressure. Perfectly suited for outdoor use, the decorations applied to the sides are also resistant to scratches, UV, stains, etc.

8 x 430 x 1770 mm / horizontal

Empire Slate

Ref. 1206

Eternal Iron

Ref. 1207

8 x 650 x 1800 mm / vertical

Empire Slate

Ref. 1364

Eternal Iron

Ref. 1365





COLLECTION
FANTASY




DECOR

PAXOS

Personalise your BOSTON fence with the PAXOS decors with their pure and very qualitative design. With a thickness of 2mm, powder-coated, the decors are delivered with their aluminium frame which is assembled on the aluminium or composite boards and in the posts.

2 models available: Horizontal and vertical.

The PAXOS Horizontal decor replaces exactly 3 composite boards .



DECOR

HERA

Dare to be modern with the HERA decor. The zebra lines are resolutely contemporary and bring a unique style. The decors are offered with a grooved aluminium frame that fits perfectly on the aluminium or composite boards and in the rebates of the posts.

2 models available: Horizontal and vertical.

The HERA Horizontal decor replaces exactly 2 composite boards.



DECOR

CRIOS

Are you a fan of geometric shapes? Choose the CRIOS decors, which can be used vertically or horizontally, between two boards or at the top of the panel. The perimeter frame elements ensure perfect integration and finishing of the panel.

2 models available: Horizontal and vertical.

The CRIOS Horizontal decor replaces exactly 2 composite boards.



DECOR

LAMIA

The LAMIA decor adds a stylish, contemporary pattern to the panel while maintaining a dense filter for privacy.

The powder-coated aluminium construction ensures a long service life.

2 models available: Horizontal and vertical.

The LAMIA Horizontal decor replaces exactly 2 composite boards.

EXAMPLES OF MODULES



Fiberdeck®

IN POSSIBLE
COMBINAISON WITH



ALUMINIUM BOARDS



PREMIUM BOARDS



MODERN BOARDS



NATURE BOARDS





COLLECTION COMBO

The combination of aluminium and wood composite brings warmth and modernity to the fence. Why not create an even more cosy atmosphere by playing with light? LAKKA wall lamps are perfect for illuminating a terrace, a corner of the garden or even a path.




EXAMPLES OF MODULES




Fiberdeck®

**ALSO COMPATIBLE
WITH**



**DECORS FROM
FANTASY COLLECTION**




LAKKA SPOTLIGHT




COLLECTION OPEN

In full-height panels to accommodate climbing plants or as an openwork finish on solid panels, OPEN slats are installed with the help of suitable wedges to ensure a perfect finish. Slats and wedges are available in 2 heights and adjustable in width, allowing the opening level to be adapted.



EXEMPLES DE MODULES



Fiberdeck®

IN POSSIBLE
COMBINAISON WITH



ALUMINIUM BOARDS



PREMIUM BOARDS



MODERN BOARDS



NATURE BOARDS



COLLECTION CLARITY

The CLARITY collection is designed to provide privacy and light.

The 8mm thick frosted glass panels are combined with composite or aluminium boards to form modern and elegant filter panels.



EXAMPLES OF MODULES



IN POSSIBLE
COMBINAISON WITH



ALUMINIUM BOARDS



PREMIUM BOARDS



NATURE BOARDS



COLLECTION URBAN

For the most modern environments, opt for HPL panels. Used by architects to clad the facades of ever more audacious buildings, this material will naturally find its place on a rooftop or a contemporary terrace.

2 decors available: *Empire slate and Eternal Iron.*



Empire Slate

**Ref. 1206 (horizontal)
Ref. 1364 (vertical)**



Eternal Iron

**Ref. 1207 (horizontal)
Ref. 1365 (vertical)**

EXAMPLES OF MODULES




myfenceplanner.com

POSTS

The quality and strength of the structural elements are at the heart of Boston's engineering.

The posts are the best example of this. The H-shaped profile naturally allows for a straight or 90° bifurcated course. The thickness of the aluminium is up to 2.2mm.



NEW IDEAS ANGLE POST

The rebate of the posts already accommodates rails and finishing profiles, and now an innovative pivot system.

An axis is clipped into the rebate of the post, and the pivot slides over it. The pivoting part will receive the slats like a normal post. It is possible to create angles from 10° to 170°. The whole is held in position with the associated screws and closed with a specially designed cap.

GATES

The Boston system allows you to match fences and openings with a wide range of gates.

The pre-filled gates have the dimensions 980*1830mm. They are filled with Aluminium, Premium or HPL panels. They are filled with the same materials as the fence, for a perfect match. The lock is integrated in the gate frame.

FEATURES

- Aluminum frame painted anthracite RAL7016
Dimensions 980x1830mm or 1200x1830mm
- 80x50mm vertical uprights, horizontal crossbars 80x40mm
- Width adjustment possible: 120cm maximum.
- Right or left hand opening, pull or push



ALUMINIUM

Anthracite **Ref. 2541**



PREMIUM

Dark Grey **Ref. 2537**
Light Grey **Ref. 2538**

Ipe **Ref. 2539**
Teak **Ref. 1240**



URBAN

Empire Slate **Ref. 2542**
Eternal Iron **Ref. 2543**



CUSTOMISABLE GATE

Opting for a wicket door frame allows you to adjust the width of the door exactly for any opening up to 120cm, and to customise the filling by purchasing the slats separately. The lock is integrated in the wicket door frame.

The gate frame is available in two sizes:

- 980x1830mm **Ref. 2698**
- 1200x1830mm **Ref. 2697**

FASTENERS AND HARDWARE

- Wicket door hardware, sold separately for pre-filled wickets and fillable wickets. Includes handles, top hinge, catch, stop, lock cylinder **Ref. 2544**
- A steel post with a section of 90x90mm and an unequalled thickness of 4mm **Ref. 2327**
- Hinge to be fixed on a wall or post, if the clamp is not suitable (e.g. loose floor) **Ref. 2670**





**High streamlined hinge
adjustable**



**Reinforced sealing post with 90x90mm
section. Thickness 4mm**

Associated with profile Ref. 1278, it
allows the wicket to be inserted into
the fence without an additional post

**Adjustable crapaudine
Pivot on bearing**



**Mortise reversible
bolt lock**



**Stopper with keeper
adaptable**

STRUCTURE & ACCESSORIES



**ALUMINIUM POST
(H OU U) 75 X 75 MM**
L 124 cm **Ref. 2202**
L 190 cm **Ref. 2546**
L 250 cm **Ref. 2547**
L 300 cm **Ref. 2337**



POST CAP
75 x 75 mm
Ref. 2658



JEU DE CALES
15 mm (66 pcs) **Ref. 2524**
30 mm (30 pcs) **Ref. 2525**



POST ANCHOR
120 x 120 x 200 mm
Ref. 2497



CONCRETE BASE
35 x 200 X 1780 mm
Ref. 1199



FINITION PROFILE
L 190 cm **Ref. 2620**
L 234 cm **Ref. 2576**



START/END PROFILE
25 x 30 x 1750 mm
Ref. 2644
**SET OF 4 CONNECTORS
FOR TOP/BOTTOM RAILS**
Ref. 2645



WALL PROFILE
28 x 24 x 1900 mm (2 pcs)
+ 12 SCREWS 4,8 x 16 mm
Ref. 2647
PROFILE MONTAGE SET
Ref. 2646



**METAL REINFORCEMENT
FOR FENCE 12X20MM - 1.75M
(3PCS)**
Ref. 1991



WALL ANCHOR SUPPORT
Ref. 2651



KIT FOR ANGLE POST
Ref. 2648



POST FOR GATE
90 x 90 x 2750 mm
Ref. 2327


PVC CAPS
Ref. 1784



HORIZONTAL HPL KIT
Ref. 2530



VERTICAL HPL KIT
Ref. 2659



LAKKA LIGHT 100X100 6W-220V
WARM WHITE
100 x 100 x 100 mm
Ref. 2332

PANELS



ALUMINIUM FENCING BOARD

21 x 150 x 1780 mm **Ref. 0868**
 21 x 100 x 1780 mm **Ref. 1197**
 21 x 45 x 1780 mm **Ref. 1198**



WPC FENCE BOARD NATURE

21 x 150 x 1780 mm
 Anthracite **Ref. 1237**
 Platinum **Ref. 1236**



WPC FENCE BOARD PREMIUM

21 x 150 x 1780 mm
 Dark Grey **Ref. 1232** | Ipe **Ref. 1233**
 Teak **Ref. 1234** | Light Grey **Ref. 1235**



WPC FENCE BOARD MODERN

21 x 150 x 1780 mm
 Teak **Ref. 1121**
 Dark Grey **Ref. 1118**



PANELLING HPL

1770 X 430 X 8 MM
 Empire Slate **Ref. 2528**
 Eternal Iron **Ref. 2705**
 650 X 1800 X 8 MM
 Empire slate **Ref. 2529**
 Eternal Iron **Ref. 2706**

GATES



GATES

980 x 1830 mm
 Ipe **Ref. 1261-2539** | Teak **Ref. 1262-2540**
 Light Grey **Ref. 1260-2538** | Dark Grey
Ref. 1259-2537 | Aluminim **Ref. 1263-2541**



URBAN GATE

980 x 1830 mm
 Empire Slate **Ref. 1264-2542**
 Eternal Iron **Ref. 1265-2543**



HARDWARE FOR GARDEN DOOR

Ref. 2544



DOOR FRAME

980x1830mm **Ref. 1267-2698**
 1200x1830mm **Ref. 1430-2697**



TOP / BOTTOM GATE HINGE

Ref. 2670

DECORS



CRIOS HORIZONTAL DECOR
H 300 x L 1750 mm
Ref. 2531



PAXOS HORIZONTAL DECOR
H 450 x L 1750 mm
Ref. 2335



LAMIA HORIZONTAL DECOR
H 300 x L 1750 mm
Ref. 2533




HERA HORIZONTAL DECOR
H 300 x L 1750 mm
Ref. 2333



CRIOS VERTICAL DECOR
H 1820 x L 584 mm
Ref. 2532



PAXOS VERTICAL DECOR
H 1820 x L 875 mm
Ref. 2335



LAMIA VERTICAL DECOR
H 1820 x L 584 mm
Ref. 2534



HERA VERTICAL DECOR
H 1820 x L 584 mm
Ref. 2335



GLASS PANEL
8 X 300 X 1780 mm **Ref. 2535**
8 X 450 X 1780 mm **Ref. 2536**

WEO[®] CO-EXTRUDED WOOD PLASTIC COMPOSITE CLADDING





Warranty against Stain and fade

With 10 years of experience and several million square meters of installed projects to date in the most varied climates, we have been able to can warrant our products for 20 years without any visible discoloration.

Unique patterns and striking colors

Our co-extruded boards provide an exclusive experience. The physical and mechanical properties and aesthetics insure of serenity for the end user.

With a matt appearance, the colors of the boards are intense and multichromatic.

Each board is unique, the process of manufacturing allows to restore randomly varied shades.

Therefore, all installed projects blend harmoniously into their environment.





CO EXTRUSION : A LEADING TECHNOLOGY

Co-extrusion has been a revolution in the composite wood market. A patented waterproof film protects the wood from moisture absorption and stabilizes the material. Expansion is also reduced to a minimum. Our 100% WEO® cladding co-extruded profiles offer a outstanding quality.





CHOOSE A MODERN AND SUSTAINABLE ARCHITECTURE!

WEO® profiles are 95% made from waste plastic bottles and sawdust. The material is exceptionally weather resistant and is 100% recyclable.



WEO®
Classic



WEO®
35

CLADDING



WEO®
60



WEO®
Brise-soleil

WEO® Classic



A WPC CLADDING WITH INTENSE AND LUMINOUS COLORS!

WEO® Classic cladding boards are available in 4 multichromatic colors that are guaranteed against discoloration. They give a unique shine to your facade. The brushed and matt surface imitates natural wood in the best possible way.

Fiberdeck®



Teak
Item 1082



Ipe
Item 1083



Light Grey
Item 1084



Dark Grey
Item 1085



U starting profile (2 pcs)
25 x 0,7 mm x 3 m
Item 1090




F finishing profile (2 pcs)
35 x 45 mm x 3,60 m | 3,24 kg (pce)

Item 1086 | ■ Teak
Item 1087 | ■ Ipe

Item 1088 | ■ Light Grey
Item 1089 | ■ Dark Grey



Clip WEO® Classic 100 pcs + screws
1,2 kg (pce) | 9 m²
Item 1091



Usable surface per board	0,576m2
Mass per unit area	10,3 kg/m2
Outer width	173 mm
Usable width	160 mm
Standard length	3600 mm

WEO® 35



A CONTEMPORARY SLATTED DECOR!

WEO® slatted boards offer a high durability. They dress up your facade with a chic and modern look of matt wood appearance without any discoloration or maintenance.



Teak
Item 0942



Ipe
Item 0943



Light Grey
Item 0944



Dark Grey
Item 0945



F finishing profile (2pcs)
65 x 80 mm x 3,60 m

Item 0967 | Teak
Item 0968 | Ipe


Item 0969 | Light Grey
Item 0970 | Dark Grey



Head coated A2 screws
Box of 500 pcs + 1 SR2 bit
4,2 x 38 mm | 4,00 kg (pc) | 30 m²

Item 0946 | Teak
Item 0947 | Ipe

Item 0948 | Light Grey
Item 0949 | Dark Grey



Usable surface per board	0,504 m ²
Mass per unit area	15 kg/m ²
Outer width	170 mm
Usable width	140 mm
Standard length	3600 mm

WEO® 60



A MODERN AND TRENDY PROFILE

WEO 60 cladding has a false skeleton profile that allows it to be installed quickly and easily. Two possible installation choices, vertical or horizontal, accentuate the perception of height or depth for exterior facades. The 60mm wide slats are evenly spaced 10 mm apart. They are lightweight, stable and easy to install with our mounting system. It is also possible to mix the WEO 35 and WEO 60 profiles to create more variation. These composite panels perfectly imitate the open-joint appearance of wood cladding and create a striking, modern facade.

Fiberdeck®



Teak
Item 1078



Ipe
Item 1079



Cedar
Item 1080



Dark Grey
Item 1081



F finishing profile (2pcs)

65 x 80 mm x 3,60 m

Item 0967 | ■ Teak

Item 1428 | ■ Cedar

Item 0968 | ■ Ipe

Item 0970 | ■ Ardoise



Head coated A2 screws

Box of 500 pcs + 1 SR2 bit

4,2 x 38 mm | 4,00 kg (pc) | 30 m²

Item 0946 | ■ Teak

Item 1196 | ■ Cedar

Item 0947 | ■ Ipe


Item 0949 | ■ Ardoise



WEO® 60 Cladding screws

4.2x32mm | 500pcs + tip

Item 1337



Usable surface per board	0,504 m2
Mass per unit area	14,5 kg/m2
Outer width	170 mm
Usable width	140 mm
Standard length	3600 mm

WEO® Brise-soleil



A SET OF WPC SLATS TO PROTECT YOURSELF FROM THE SUN!

WEO Brise-soleil offer effective protection from the sun's rays. Depending on their spacing, they allow shadows to play on the facade and insulate from the heat. A unique contemporary wood decor, without any ageing.

Fiberdeck®



Teak



Ipe



Brise-soleil

42 x 60 mm x 4 m
52 x 100 mm x 4 m
62 x 120 mm x 4 m

Teak

Item 1092
Item 1094
Item 1096

Ipe

Item 1093
Item 1095
Item 1097



End cap

42 x 60 mm (x24)
52 x 100 mm (x10)
62 x 120 mm (x6)

Teak

Item 1098
Item 1100
Item 1102



Ipe

Item 1099
Item 1101
Item 1103



1 Aluminum staple NV3 adjustable
Item 1154

2 Locking screw 4.8 x 32 mm
Item 1155




3 Rail KX-3000 RAL9005
Item 1156

4 Thermal break pad
Item 1157


5 Self drilling wing screw
Item 1158

WEO® Classic




Usable surface per board	0,576m ²	
Mass per unit area	10,3 kg/m ²	
Outer width	173 mm	
Usable width	162 mm	
Standard length	3600 mm	
	Qty of clips / m ²	Qty of clips / board of 3.6m
Span 60 cm	11	7

WEO® 35




Usable surface per board	0,504 m ²	
Mass per unit area	15 kg/m ²	
Outer width	170 mm	
Usable width	140 mm	
Standard length	3600 mm	
	Qty of clips / m ²	Qty of clips / board of 3.6m
Span 60 cm	16	7

WEO® 60




Usable surface per board	0,504 m ²	
Mass per unit area	14,5 kg/m ²	
Outer width	170 mm	
Usable width	140 mm	
Standard length	3600 mm	
	Qty of clips / m ²	Qty of clips / board of 3.6m
Span 60 cm	16	7


WEO® Brise-Soleil



Weight / linear meter	1,75 kg
Outer width	60 mm
Outer height	42 mm
Standard length	4 m





Weight / linear meter	3 kg
Outer width	100 mm
Outer height	52 mm
Standard length	4 m





Weight / linear meter	3,70 kg
Outer width	120 mm
Outer height	62 mm
Standard length	4 m

WEO® Classic





Clip Fixing

WEO® 35





Screw fixing

WEO® 60




Screw fixing


WEO® Brise-Soleil



Fixing with a staple
on the rail



VERTICAL INSTALLATION



HORIZONTAL INSTALLATION



fiberdeck.com