
Fiberdeck







CATALOGUE 2023



Reliable products, **designed to last many years and preserve the environment.** As our natural resources are limited, we must protect and recycle for future generations. **Our products are made from 95% recycled plastic waste.**

Leader in our market, we are constantly looking for new solutions **to improve the durability of our products and simplify their installation.** Fiberdeck® **is a young and dynamic team that shares the same values** and promotes collaborative work. Respect for all our employees is the key to our success.





TABLE OF CONTENTS







D				
U	L	N	11	IJ

BROOKLYN	0
HERITAGE	1
MANHATTAN	1
VINTAGE	1
COBRA CLIPS & SCREWS	1

FENCING

MODERN COMPOSITE WOOD	20
PREMIUM COMPOSITE WOOD	22
CRIOS DECOR	24
HERA DECOR	26
PAXOS DECOR	28
LAMIA DECOR	30
CLARITY DECOR	32
ALUMINIUM COMBO	34
ALUMINIUM OPALE	36
ALUMINIUM OPEN 45	38
ALUMINIUM OPEN 100	40
ALUMINIUM RHOMBUS	42
COMPONENTS	44

CLADDING

WEO® CLASSIC	64
WEO® 35	66
WEO® 60	68
WEO® BRISE-SOLEIL	70
TECHNICAL INFORMATION	


SIGHTSCREEN FENCING

AKIDO SIGHTSCREEN FENCING KIT __54



ADVANTAGES COMPARED TO OTHER COMPOSITE WOODS

- **✓** Made from 95% recycled material
- **✓** Guaranteed for 20 years without fading
- **✓** Unique natural decors and textures
- **✓ PVC** and formaldehyde free
- **✓** Stain resistant
- **✓** Very high dimensional stability
- **✓** Easy to install and remove



A HIGHLY DURABLE COMPOSITE WOOD

Fiberdeck® is committed to the durability of its products and guarantees its decking, cladding and fencing range for 10 to 20 years (commercial, professional and public/ residential use) against splintering and structural damage due to fungus, wood-eating insects or termites, as well as the colour and stain resistance of the products over the same period.





Simple cleaning with high-pressure water (120 bar) is sufficient to clean your Fiberdeck® deck. Thanks to the polyethylene protective layer, Fiberdeck® decking will not turn grey or stain. The natural colour, look and feel of the wood will persist in the most extreme climates and temperatures. The aesthetics of the pattern are preserved over several decades while generating significant maintenance savings.



AND MADE WITH 95% RECYCLED WASTE Fiberdeck® decking is made from 95% recycled wood waste and polymers. Wood is the main component with nearly 60% of the volume, and comes from FSC-certified sawdust from the manufacturing industry. The polymers come from recycled plastic bottles. We recycle 40 million plastic bottles in our products every year. Thousands of tons of plastic waste are thus recycled to manufacture a product with superior performance to natural wood.

DECKING COMPOSITE WOOD










COMPOSITE WOOD WITH OUTSTANDING PERFORMANCE



CO-EXTRUSION, A CUTTING-EDGE TECHNOLOGY

Co-extrusion is a new technology that is disrupting the composite wood market. The recurring problems of staining and fading of first-generation mono-extruded boards have led us to use co-extrusion technology. It consists of applying a very thin, molten polyethylene film on the composite wood. This waterproof film protects the wood from any moisture issues and stabilises the material. Expansion is also reduced to a minimum. Our 100% co-extruded Fiberdeck® decking profiles offer much better quality than any other product on the market.

20-YEAR GUARANTEE WITHOUT FADING

With a wealth of experience in this new technology and several million square metres marketed to date in a wide range of climates, we can guarantee our products for up to 20 years without any visible fading.



A REVERSIBLE PROFILE WITH A CHOICE OF TWO DECORS

BROOKLYN boards offer a choice of smooth and textured wood grain in 4 multi-chromatic colours. The co-extrusion protective layer on both sides guarantees very low expansion of the boards and durable colour over time. The finishing boards associated with this range can be adapted to all configurations. Removable boards.





DECKING BOARD





Non-slip R11



Anti-stain



15-years guarantee







Cobra® Hybrid 8-18 clips (90 clips + screws) 1 bag for 4.5 m² FD0993



Cobra® Start/End (30 clips + 30 screws) FD0336

IPE



LIGHT GREY



DARK GREY




TEAK









A BOARD WITH SCULPTED CHARACTER

The new HERITAGE board has a unique design that perfectly imitates exotic wood. The pores of the wood are reproduced down to the smallest detail. The surface of the board has irregularities that catch the light and give rhythm. This is an "adze" look, which corresponds to the traditional carpenter's tool for smoothing out a piece of wood. This board has a new co-extrusion coating that is highly resistant to abrasion. The protective layer is hard and limits scratches. This layer is present on all 4 sides of the board.





DECKING BOARD HERITAGE









20-years guarantee



Cobra® Hybrid 8-18 clips (90 clips + screws) 1 bag for 4.5 m² FD0993



Cobra® Start/End (30 clips + 30 screws) FD0336

HAVANA BROWN



UV resistant

OCEAN GREY






INDIAN SUMMER







SMOOTH OR REEDED, A STRIKING WOOD DECOR!

MANHATTAN boards are available with a choice of smooth or reeded faces in 4 multi-chromatic colours. The colours are guaranteed for 20 years and the decking requires very low maintenance. The grooves catch the light to give relief to the decking. The finishing boards, combined with this range, allow all types of finishes to be created for swimming pool coping, stairs and skirting boards.






DECKING BOARD MATTAN



Anti-stain





20-years guarantee



UV resistant



Non-slip R11

REVERSIBLE BOARD




Cobra® Hybrid 8-18 clips (90 clips + screws) 1 bag for 4.5 m² FD0993



Cobra® Start/End (30 clips + 30 screws) FD0336





LIGHT GREY




IPE



TEAK






A STUNNING AND UNIQUE OLD WOOD LOOK

VINTAGE boards brilliantly reproduce the look of boards that have aged and developed a patina over time. The embossed material of the wood fibres gives a natural wood feel. Available in 2 widths and 3 colours, the Wengé, Lunar Grey and Graphite solid boards come in 2 different decors. The co-extrusion layer guarantees their colour for 20 years without fading. VINTAGE boards are designed to last with very low maintenance.





DECKING BOARD VINTAGE









20-years guarantee





Cobra® Start/End (30 clips + 30 screws) FD0336



GRAPHITE







WENGE



COMPOSITE DECKING FASTENER

CLIPS & SCREWS





for wood and aluminium.

Approx. 4.5 m²

FD0993




COBRA START/END CLIPS Clip in stainless steel AlSI304 (30 pcs) 4.5x25 mm screws in stainless steel AlSI304 (30 pcs) FD0336 / FD1432





COBRA SCREWS FOR COMPOSITE WOOD DECKING Set of 150 screws in stainless steel AISI304 with end caps FD0770 / FD0771






DISCOVER

all the FASTENING AND STRUCTURE SOLUTIONS for Composite Wood DECKING on the website

https://www.cobrafastener.com

BOSTON COMPOSITE FENCING











BOSTON

Boston is an ecosystem of products designed to adapt to your environment, needs and desires. The posts are fixed in the ground, on a slab or low wall and the fence is easily assembled by interlocking.













MODERN



The MODERN board's carefully calibrated grooves create an elegant faux-slat effect. These composite wood boards are guaranteed not to fade under the most extreme conditions, thanks to the co-extrusion process.

- The board can also be stiffened with aluminium reinforcements.
- The corner kit is available to create a completely free contour.

Dark Grey

FD1118

Teak

FD1121

Cedar

FD1531









PREMIUM



Resulting from extensive research and development, our Premium composite wood boards are protected against insects and termites. They are protected against UV rays and are therefore guaranteed for 20 years against fading and staining.

A thin polymer layer protects these boards across the entire surface to ensure a perfect seal.

• These boards can also be stiffened with aluminium reinforcements.











CRIOS



A breath-taking view with a geometric decor, for a moment that will remain frozen for eternity. Crios is a laser-cut aluminium decor with a pattern reminiscent of a giant set of bricks that lets light and landscape through while providing adequate privacy.

- The perimeter frame elements ensure seamless integration and a perfect finish.
- A wall plate support that distributes forces evenly is also available for wall mounting without grouting or cracking.



CRIOS VERTICAL DECOR H 1820 x L 584 mm FD1214



CRIOS HORIZONTAL DECOR H 300 x L 1750 mm FD1213




HERA



Featuring intertwined lines of varying thicknesses, the Hera decor is remarkably balanced and will look amazing in both urban and countryside settings.

The decors are provided with a grooved aluminium frame that fits perfectly on the aluminium or composite boards and in the rebates of the posts.

- 2 models to choose from: horizontal or vertical.
- The horizontal HERA decor replaces exactly 2 composite boards.



HERA VERTICAL DECOR H 1820 x L 584 mm FD1011



HERA HORIZONTAL DECOR H 300 x L 1750 mm FD1010











PAXOS



Orange light breaks through the Paxos decors, forming a subtle and regular shadow play.

The 3mm-thick powder-coated decors are delivered with an aluminium frame, which is assembled on the aluminium or composite boards and in the posts.

- 2 models to choose from: horizontal or vertical.
- The horizontal PAXOS decor replaces exactly 3 composite boards.





PAXOS HORIZONTAL DECOR H 450 x L 1750 mm FD1008

PAXOS VERTICAL DECOR H 1820 x L 875 mm FD1009





A surprising moiré effect is achieved with the Lamia decor, reminiscent of foam on the sea, even in the middle of the desert. Thanks to its powder-coated aluminium structure, the Lamia collection is extremely durable.

- 2 models to choose from: horizontal or vertical.
- The horizontal LAMIA design replaces exactly 2 composite boards.



H 1820 x L 584 mm FD1216


H 300 x L 1750 mm FD1215











COMBO



The Opale interlocking aluminium board can be combined with the Premium composite wood boards to form a Combo fence panel. The boards can be arranged in any order. The resulting contrast in colour and texture is highly sought after and will enhance the enclosed area.

Aluminium RAL7016

FD0868

IN COMBINATION WITH:



FD1232



FD1235



FD1234




FD1233




















This standard board is a must in our aluminium range and will delight those who are looking for a pure, uniform, sober fence that gives way to the very nature of the outdoor space. This board can be fitted with light fixtures to take advantage of the frame setting created by the fence.

It can also be combined with composite wood boards to create a warm contrast.

Aluminium RAL7016







OPEN 45



The Open 45 mm aluminium board is distinctive and elegant.

Ideal for low walls, it allows air to pass through, thus increasing wind resistance. Furthermore, it makes it possible to comply with town planning regulations while preserving privacy and aesthetic purity.

The Open 45 mm board can be combined with 15mm or 30mm wedges to achieve the desired spacing.

Aluminium RAL7016



Aluminium boards 21 x 45 x 1780 mm + 30 mm wedges **FD1198 / FD1201**



Aluminium boards 21 x 45 x 1780 mm + 15 mm wedges **FD1198 / FD1200**







OPEN 100



The Open 100 mm aluminium board offers a subtle balance between sight screening and letting the light in. Its strong visual design creates a protective and robust appearance. It is possible to grow plants on the fence to give the Open 100 mm fence an organic feel that will contrast with its straight features.

The Open 100 mm board is manufactured according to the Qualicoat and Qualimarine processe

Aluminium RAL7016



Aluminium boards 21 x 100 x 1780 mm + 30 mm wedges **FD1197 / FD1201**



Aluminium boards 21 x 100 x 1780 mm + 15 mm wedges **FD1197 / FD1200**



RHOMBUS



Latest addition to the Fiberdeck aluminium range, the Rhombus board stands out for its parallelepiped shape. This creates a louver effect to look outside without being seen.


This board receives the usual Fiberdeck quality treatment, with a Qualicoat and Qualimarine certified powder coating in anthracite grey 7016

Aluminium RAL7016

42



Aluminium Rhombus boards 21 x 75 x 1780 mm + 10 mm wedges **FD1564 / FD1643**












CORNER KIT FOR ANGLE POST





The BOSTON fence corner kit allows you to set any angle in the fence line. The pivot pin is clipped into the rebate of the post and the pivot slides over it.

The swivel part holds the boards like a conventional post. It is possible to create angles from 10° to 170°.

The whole is held in position with the associated screws and closed with a specially designed cap.

FD1338




fr.myfenceplanner.com



ALUMINIUM


The aluminium boards as well as the posts and decors are powder coated (RAL7016) and Qualicoat and Qualimarine certified. Therefore they have excellent durability and good resistance to the elements. These boards can be combined harmoniously with the composite boards and decors to create structured patterns.



21 x 45 x 1780 mm Open 45 FD1198



21 x 150 x 1780 mm Interlocking board FD0868



21 x 100 x 1780 mm Open 100 FD1197



21 x 75 x 1780 mm Rhombus FD1564





PREMIUM

These composite wood boards are made using co-extrusion technology and are protected against insects and termites. They are protected against UV rays and are therefore guaranteed for 20 years against fading and staining.

A thin polymer layer protects these boards across the entire surface to ensure a perfect seal. For The boards can also be stiffened with aluminium reinforcements.









Dark Grey

lpe

Teak



FD1232

FD1233

FD1234

FD1235




MODERN

Using the same technology as PREMIUM boards, these composite wood boards are also protected against fading in the most extreme conditions. They stand out for their very modern design with a faux-slat effect imitating thin wooden slats.

3 colours to choose from: Teak, Dark Grey and Cedar

These boards can also be stiffened with aluminium reinforcements.















FD1121 FD1118



GATES

The Boston system allows you to match fences and openings with a wide range of gates.

The pre-filled gates are 980 x 1830 mm in size. They are filled with Aluminium, Premium or Modern boards, and contain the same materials as the fence, for a perfect match. The lock is integrated in the gate frame.

- Aluminium frame, powder coated in anthracite RAL7016 Dimensions: 980 x 1830 mm.
- Vertical uprights 80 x 50 mm, horizontal crossbars 80 x 40 mm.
- Right or left-hand opening, pull or push.



STRUCTURE & ACCESSORIES



ALUMINIUM POST 75 X 75MM

L. 124 cm **FD1001** L. 184 cm **FD1002** L. 234 cm **FD1003** L. 300 cm **FD1122**



POST CAP 75 x 75 mm **FD1341**



START/END PROFILE 25 x 30 x 1750 mm **FD1318**



SET OF 4 CONNECTORS FOR START/END PROFILE. FD1309



FINISHING PROFILE 4 x 24 x 1840 mm **FD1005**



GREY STAINLESS STEEL POST ANCHOR 120 x 120 x 200 mm FD1143



STAINLESS STEEL POST ANCHOR 120 x 120 x 200 mm FD1530



WALL PLATE SUPPORT FD1340



CORNER KIT FOR ANGLE POST Profile and associated hardware FD1338



WALL PROFILE28 x 24 x 1900mm (2 pcs)
+ 12 SCREWS 4.8 x 16 mm + CAPS **FD1278**









SET OF 3 ALUMINIUM REINFORCEMENTS FOR COMPOSITE FENCING FD1388

SET OF WEDGES10 mm 15° (40 pcs) **FD1643**15 mm (66 pcs) **FD1200**30 mm (30 pcs) **FD1201**

POST FOR GATE WITH CAP 90 x 90 x 2750 mm **FD1266**

LAKKA SPOTLIGHT 6W 220V LED - WHITE WARM100 × 100 × 100 mm **FD0995**

CONCRETE BASE 35 x 200 X 1780 mm **FD1199**



SPRAY
TEXTURED RAL 7016
FD1036

BOARDS



ALUMINIUM BOARD

21 x 75 x 1780 mm / 15° **FD1564** 21 x 150 x 1780 mm **FD0868** 21 x 100 x 1780 mm **FD1197** 21 x 45 x 1780 mm **FD1198**



PREMIUM BOARD

21 x 150 x 1780 mm Dark Grey **FD1232** I lpe **FD1233** Teak **FD1234** I Light Grey **FD1235**



MODERN BOARD

21 x 150 x 1780 mm Teak **FD1121** Dark Grey **FD1118** Cedar **FD1531**

GATES



WICKET GATES

980 x 1830 mm Dark Grey **FD1259** I Light Grey I **FD1260** Ipe **FD1261** I Teak **FD1262** IAluminium **FD1263**



URBAN WICKET GATE

980 x 1830 mm Empire Slate **FD1264** Eternal Iron **FD1265**



HARDWARE FOR

WICKET GATE FD1268



CUSTOMISABLE WICKET GATE FRAME

980x1830mm **FD1267** 1200x1830mm **FD1430**



GATE HINGE FD1339

DECORS









CRIOS HORIZONTAL DECOR H 300 x L 1750 mm FD1213

PAXOS HORIZONTAL DECOR H 450 x L 1750 mm FD1008

LAMIA HORIZONTAL DECOR H 300 x L 1750 mm FD1215

HERA HORIZONTAL DECOR H 300 x L 1750 mm FD1010









CRIOS VERTICAL DECOR H 1820 x L 584 mm FD1214

PAXOS VERTICAL DECOR H 1820 x L 875 mm FD1009


LAMIA VERTICAL DECOR H 1820 x L 584 mm FD1216

HERA VERTICAL DECOR H 1820 x L 584 mm FD1011



FROSTED GLASS PANEL 8 X 300 X 1780 mm **FD1218** 8 X 450 X 1780 mm **FD1219**


A | D SIGHTSCREEN FENCING KIT IN COMPOSITE WOOD

















High-quality composite wood

Akido benefits from Fiberdeck's extensive know-how in the extrusion of high-quality composite wood. All our kits are guaranteed for 15 years (1). The slats are made of composite wood, which are very resistant to weather.


Long-lasting colour with no fading

The composite wood is brushed, for a natural wood aspect. The colours are rich and can match any decor. Available in Anthracite, Brown and Sand.

Quick and easy to install, no maintenance required

No staples, clips or screws. The elements slide in and the slats are clicked in and locked with the crossbars. Detailed instructions and a video can help guide you through the installation process.

(1) Learn more about Fiberdeck's limited guarantee on www.fiberdeck.com



Fiberdeck[®]

AKIDO


A universal kit for all 2.5m rigid fences

1 Choose your colour




Sand Brown Anthracite

- Select the reinforcement best suited to your fence's V meshe
- reinforcement M
 34 x 14 mm
 reinforcement L
 45 mm
 reinforcement L
 45 x 20 mm



Choose your end slat





Detailed kit contents

- 43 intermediate slats (width: 48 mm)
- 2 end slats (width: 41 mm or 48 mm)
- Reinforcements (34-14 mm or 45-20 mm)
- PVC top crossbar (aluminium optional)
- PVC bottom crossbar (aluminium optional)



Installation video






AKIDO



Akido sightscreen fencing kits are made up of opaque slats to be slid into a rigid fence. They are made of composite wood with a 15-years guarantee. Quick and easy to install, they are available in four heights and three colours. Furthermore, reinforcements that slide into the fence's V mesh are available in three different sizes.




Anthracite Brown

Sand

A universal kit for all 2.5m rigid fences

Available in the following heights: 1 m / 1.53 m / 1.73 m / 1.93 m

WE CO-EXTRUDED COMPOSITE CLADDING





Guaranteed against staining and fading

With years of experience and several million square metres marketed to date in a wide range of climates, we can guarantee our products for 20 years without any visible fading.



Unique decors and striking colours

Our co-extruded boards provide a unique experience. Their outstanding technical and aesthetic properties insure complete peace of mind for the end user.

The boards feature a matt aspect, with intense and multi-chromatic colours. Each board is unique, as the manufacturing process allows for a wide range of random shades. Thus all installed projects blend harmoniously into their environment.







Biosourced cladding with unrivalled performance

WEO® cladding boards have been developed using the latest co-extrusion technologies to guarantee a fading-free product for 20 years while using 95% waste in its manufacture! A waterproof polyethylene film protects the wood from moisture absorption and stabilises the material. Furthermore, expansion is reduced to a minimum.









The mark of projects

WEO® Classic









A CLADDING BOARD WITH INTENSE AND BRIGHT COLOURS!

WEO® Classic cladding boards are available in 4 multi-coloured shades that are guaranteed against fading. They confer a unique shine to your facade. The very durable brushed and matt surface beautifully imitates natural wood!

Fiberdeck

WEO® CLASSIC CLADDING BOARD

13 x 173 mm x 3.6 m



Teak FD1082



lpe FD1083




Light Grey FD1084



Dark Grey FD1085











ALUMINIUM U STARTING PROFILE (2 PCS)

25 x 0,7 mm x 3 m

FD1090

ALUMINIUM F PROFILE

35 x 45 mm x 3,60 m


FD1086 | ■ Teak FD1088 | ■ Light Grey FD1087 | ■ Ipe FD1089 | ■ Dark Grey

WEO® CLASSIC STAINLESS STEEL CLIP (100 PCS) + SCREW 9 m²

FD1091

WEO® CLASSIC STAINLESS STEEL SCREWS (100 PCS) For vertical installation | 20 m²

FD1313 | **Teak** FD1315 | ■ Light Grey FD1316 | ■ Dark Grey FD1314 | ■ Ipe



Usable surface per board	0,5832 m ²
Mass per unit area	10,3 kg/m ²
Outer width	173 mm
Usable width	162 mm
Standard length	3600 mm

WEO®35









A CONTEMPORARY SLATTED DECOR

WEO® 35 slatted boards offer unparalleled durability. They give your facade a chic, modern look in matt wood colours without any fading or maintenance.

Fiberdeck

WEO® 35 CLADDING BOARD

33 x 170 mm x 2.9 m | 33 x 170 mm x 3.9 m



Cedar 2.9 m FD1544 3.9 m FD1548



Teak 2.9 m FD1541 3.9 m FD1545



lpe 2.9 m FD1542 3.9 m FD1546



Dark Grey 2.9 m FD1543 3.9 m FD1547





ALUMINIUM F PROFILE

65 x 80 mm x 3,60 m

FD1428 | ■ Cedar FD0967 | ■ Teak

FD0968 | ■ Ipe FD0970 | ■ Dark Grey




STAINLESS STEEL SR2 SCREW (BOX OF 100 PCS) + END CAPS

4,2 x 38 mm | 6 m²

FD1451 | ■ Cedar FD1447 | Teak

FD1448 | ■ Ipe FD1450 | ■ Dark Grey



	Length 2.9 m	Length 3.9 m
Usable surface per board	0,406 m²	0,546 m²
Mass per unit area	15 kg/m ²	15 kg/m ²
Outer width	170 mm	170 mm
Usable width	140 mm	140 mm

WE0[®]60









A MODERN SLATTED DECOR

WEO® 60 cladding boards feature a slatted design and can be installed quickly horizontally or vertically. The 60mm-wide boards are evenly spaced 10mm apart. They are lightweight, stable and easy to install with our mounting system. These boards can also be combined with WEO® 35 and WEO® 60 profiles to create more variations, or paired with any other modern material.

Fiberdeck

WEO® 60 CLADDING BOARD

33 x 170 mm x 2.9 m | 33 x 170 mm x 3.9 m



Cedar 2.9 m FD1567 3.9 m FD1571



Teak 2.9 m FD1565 3.9 m FD1569



lpe 2.9 m FD1566 3.9 m FD1570



Dark Grey 2.9 m FD1568 3.9 m FD1572



170



ALUMINIUM F PROFILE

65 x 80 mm x 3,60 m

FD1428 | ■ Cedar FD0968 | ■ Ipe FD0967 | ■ Teak FD0970 | ■ Dark Grey



FD1451 | ■ Cedar FD1448 | ■ Ipe FD1447 | ■ Teak FD1450 | ■ Dark Grey



WEO® 60 STAINLESS STEEL SCREWS FOR CONCEALED INSTALLATION

4.2 x 32 mm | 500 pcs + end caps FD1337




Length 2.9M

Length 3.9M

Usable surface per board	0,406 m2	0,546 m2
Mass per unit area	14,5 kg/m2	14,5 kg/m2
Outer width	170 mm	170 mm
Usable width	140 mm	140 mm



WEO® Brise-soleil









A SET OF WOODEN BOARDS FOR PROTECTION FROM THE SUN!

These composite wood sunshades offer effective protection from the sun. By adjusting the spacing between the boards, they allow shadows to play on the facade and provide excellent heat insulation. A unique and contemporary wood decor that does not age

Fiberdeck







lpe



BRISE-SOLEIL BOARD	Teak	lpe
42 x 60 mm x 4 m	FD1092	FD1093
52 x 100 mm x 4 m	FD1094	FD1095
62 x 120 mm x 4 m	FD1096	FD1097



END CAP	Teak	lpe
42 x 60 mm (x24)	FD1098	FD1099
52 x 100 mm (x10)	FD1100	FD1101
62 x 120 mm (x6)	FD1102	FD1103



ALUMINUM STAPLE - NV3 Adjustable FD1154









WEDGE - Thermal break pad FD1157


FD1156



4 A2 STAINLESS STEEL SCREW - self-drilling 5,5 x 32 mm FD1155 5,5 x 50 mm FD1223 5,5 x 38 mm FD1222 5,5 x 60 mm FD1224




WEO® Classic




WEO® 35







WEO® 60




Usable surface per board		0,5832 m ²
Mass per unit area		10,3 kg/m ²
Outer width		173 mm
Useful width		162 mm
Standard length		3600 mm
	Qty of clips / m ²	Qty of clips / board of 3.6 m
Span 600 mm	11	7

Standard length	2900 mm	3900 mm
Usable surface per board	0,406 m ²	0,546 m ²
Mass per unit area	15 kg/m ²	15 kg/m²
Outer width	170 mm	170 mm
Useful width	140 mm	140 mm
Qty of screws / m² (600mm span)	12	12
Qty of screws / board (600 mm span)	5	7


Standard length	2900 mm	3900 mm
Usable surface per board	0,406 m ²	0,546 m ²
Mass per unit area	14,5 kg/m ²	14,5 kg/m ²
Outer width	170 mm	170 mm
Useful width	140 mm	140 mm
Qty of screws / m ² (600 mm span)	12	12
Qty of screws / board (600 mm span)	5	7

WEO® Brise-Soleil






Weight / Linear metre	1,75 kg
Outer width	60 mm
Outer height	42 mm
Standard length	4 m




Weight / Linear metre	3 kg
Outer width	100 mm
Outer height	52 mm
Standard length	4 m




Weight / Linear metre	3,70 kg
Outer width	120 mm
Outer height	62 mm
Standard length	4 m


WEO® Classic




WEO® 35




WEO® 60




CLIP FASTENING



SCREW FASTENING




SCREW FASTENING




WEO® Brise-Soleil










VERTICAL INSTALLATION



HORIZONTAL INSTALLATION

