


Fiberdeck®

Never stop innovating



2026




Never stop innovating

Because our natural resources are precious and limited,
we are committed to preserving them
for future generations.

Our products are designed to last, combining reliability,
performance, and respect for the environment. **Made from
95% recycled plastic, they demonstrate our commitment
to putting sustainability at the heart of our approach.**

Innovative and committed, we are constantly developing
new solutions to enhance the sustainability of our products
and facilitate their implementation on a daily basis.






LONG SERVICE LIFE

A 20-year warranty on products against fungal and insect damage, color fastness, and stain resistance.



PRODUCTS BIO-BASED

Cleaning is carried out using a brush mop with water and no detergent. The protective polyethylene coating ensures that the color, appearance, and natural feel of our products are preserved over time.



EASY MAINTENANCE

Our products are made from 95% recycled waste - 100% FSC® - certified sawdust and used plastics, thus contributing to the preservation of resources and the protection of the environment.



All our composite wood products are FSC® certified. You can recognize these items by the product description and the corresponding logo.

NOVAIS



CONFIGURE YOUR PROJECT ONLINE

Discover our two online configurators to **easily design your project, calculate its cost, and obtain a list of the necessary materials.**

Easy to use, they allow you to design and visualize your future deck or fence in just a few clicks. Practical tools for perfect results.

› en.mydeckplanner.com

› en.myfenceplanner.com

GET YOUR SAMPLES EASILY

Can't decide between several colors or models?

Give yourself the freedom to compare them at home, in your own environment.

Order the samples of your choice online and have them **delivered directly to your door**. You can appreciate every shade and finish before making your final selection.

› store.felixdistribution.com

You can also find our products at :



SP

HT

HT

HT


HT





08

DECKING



22

FENCING



48

CLADDING

DECKIN



en.mydeckplanner.com

IC



Fiberdeck®



Technology at the service of elegance

Fiberdeck® expertise is expressed through various technologies that enable it to offer high-quality products that are unique on the market, attractive, and durable.

Whether you are looking for the modernity of greyed wood, the patina of aged wood, or the warmth of ipe tones, Fiberdeck® decking boards offer the exceptional performance and durability of co-extruded composite wood. Coextrusion technology protects the board from stains and fading, while providing enhanced UV resistance.



3
3
1
1
1
1



Exotic wood reinvented for life.

When it comes to decking, there is one type of wood that sets the standard: ipe. Our unique manufacturing process reproduces its subtle color shades and fine grain, while offering all the benefits of co-extruded composite wood. The use of two sides with different colors allows for either a mix of colors or a uniform red finish.

DECKING

 22,5 x 138 x 3900 mm


RED / BROWN
& RED / YELLOW

FD1960

FINISH

 22,5 x 138 x 3000 mm

RED



HARMONY






The robustness of wood composite for intensive use.

The Harmony board is designed to create safe walkways. With an R12 slip resistance rating, it is ideal for public areas. What's more, this board features Hardcap technology, which gives it increased resistance to wear and impact.

DECKING
Composite wood

DECKING	OCEAN GREY	INDIAN SUMMER	CEDAR
	FD1254	FD1255	FD2042
22,5 x 138 x 4000 mm			

FINISH	OCEAN GREY	INDIAN SUMMER	CEDAR
	FD2170	FD2171	FD2172
22,5 x 138 x 3000 mm			



ШОУ ВІНТАЖ





The unique character of aged wood and the patina of time, for a long time.

VINTAGE boards brilliantly reproduce the appearance of aged and weathered planks. The texture of the protective layer resembles the cracks and fissures found on the surface of aged wood... without the splinters!

DECKING
Composite wood

DECKINGS	GRAPHITE / WENGE	LUNAR GREY / CEDAR
	FD1833	FD1834
22,5 x 138 x 4000 mm		

	FD1835	FD1836
22,5 x 210 x 4000 mm		

FINISH	GRAPHITE	WENGE	LUNAR GREY	CEDAR
	FD1131	FD1133	FD1132	FD1890



WAVANTATTA





The urban spirit, the natural charm of wood.

With its traditional appearance, the Manhattan board nevertheless benefits from the latest innovations in composite wood. Its grooved profile makes it the perfect board for enhancing a swimming pool, recreating a cruise ship atmosphere, or perfecting an outdoor space.

DECKING	CEDAR	TEAK	IPE	LIGHT GREY	DARK GREY
22,5 x 145 x 3600 mm	FD1889	FD1028	FD1027	FD1026	FD1025
FINISHES	FD1831	FD1249	FD2111	FD1247	FD1246
22,5 x 138 x 3000 mm	-	FD0895	FD0708	FD0707	FD0706
10 x 84 x 2400 mm					



BRICK






All shades of wood without constraints.

With different finishes on each side, Brooklyn decking lets you choose between the warmth of wood grain or a smoother, more modern look. To accentuate the effect and add rhythm to your deck, you can also mix different widths.

DECKINGS	CEDAR	TEAK	IPE	LIGHT GREY	DARK GREY
 22,5 x 138 x 4000 mm	FD1827	FD1241	FD1240	FD1239	FD1238
 22,5 x 210 x 4000 mm	FD1829	FD1245	FD1244	FD1243	FD1242
 22,5 x 138 x 3000 mm	FD1831	FD1249	FD1248	FD1247	FD1246
 10 x 84 x 2400 mm	-	FD0895	FD0708	FD0707	FD0706





CLIPS & SCREWS

Fiberdeck® collaborates with Cobra Fastener® to provide dependable and durable fastening systems adapted to each profile of the range.

QUICK INSTALLATION

This clip's distinctive feature is its pre-installed screw, which simplifies installation and delivers outstanding speed when used with the Airspacer. It can be used with wood or aluminum joists and requires no pre-drilling.



INVISIBLE FASTENING

Cobra clips fit perfectly between each board to provide secure and discreet fastening.

INCREASED LONGEVITY

The Cobra range allows you to use the most suitable fastening for the decking board and structure, ensuring better durability over time.



HYBRID CLIP 8-18

Set of 90 clips with C1 self-drilling screws (AISI410) for wood and aluminum.
Available in three screw sizes.
1 box for 4.5m²



START/END CLIPS

4.5×25 mm clips and screws in A2 stainless steel (AISI304).
Box of 30 pcs



AIRSPACER

Set of 100 pieces + 4 board spacers 3-4-5-6 mm



COLORED SCREWS FOR COMPOSITE WOOD DECKING

Bag of 50 stainless steel screws. Available in 5 colors, for aluminum joists and wooden joists

DECKING
Clips & Vis

DISCOVER

All fastening and structural systems for wood and composite decks at cobrafastener.com



FENCIN



en.myfenceplanner.com



IC

Fiberdeck®

The Boston concept



BOSTON offers total modularity: infill panels, posts, and decorative elements can be combined in multiple ways to create unique configurations tailored to each environment.

Made from high-quality materials, the fence offers excellent resistance to weathering and aging.



3
Exotics




Exotics Brown



All the benefits of exotic wood without the drawbacks

As warm as teak boards and as durable as ipe, EXOTICS fence boards require no special maintenance and will retain their color for years.

Combined with aluminum boards, the striking wood effect adds a touch of modernity and elegance to the fence.




BROWN
FD2251



RED
FD2250



FENCING
Composite wood boards



21 x 150 mm
L. 1780 mm

PREMIUM




Premium Dark Grey



The benchmark in composite fencing.

This sleek slat has all the best features of co-extruded composite wood and will fit into any project thanks to the wide range of colors available. It can also be combined with the XL version to add rhythm to the panels, or even with aluminum slats for those who want to highlight the mix of materials.



portofino




Premium XL Light grey



Excellence in large format.

PREMIUM XL boards have the same technical properties and aesthetic qualities as PREMIUM boards. Their larger surface area allows the subtle patterns to stand out more, creating a striking architectural effect.

When mixed with standard PREMIUM boards, the result is striking and unmistakable.



21 x 300 mm
L. 1780 mm

Modern
Teak



Modern Teak / Vertical installation



Contemporary lines, total freedom.

MODERN boards elegantly reproduce the appearance of false open-joint fencing, thanks to a finely calibrated groove visible on both sides.

Arranged horizontally or vertically (using a reinforced rail), the slats will form privacy fences with a unique and timeless look.



21 x 150 mm
L. 1780 mm

Black Opale



Black Opale



FENCING
Aluminum boards


Preserve your privacy in style.

OPALE interlocking slats are ideal for creating a modern and elegant fence. Made from textured powder-coated aluminum, they will withstand the elements and the passage of time in the most beautiful way.

Combined with composite wood boards, they will provide a warm contrast. Combining them with Open or Rhombus boards will lighten the overall look.

BLACK RAL9005
FD1927

GREY RAL7016
FD0828




21 x 150 mm
L. 1780 mm

Shutters



Rhombus 75 Black



RHOMBUS 155

RHOMBUS 75



FENCING
Aluminum boards

The board that withstands the storm.

The beveled profile of RHOMBUS boards preserves privacy while reducing wind impact on the fence. An ideal configuration for exposed areas. The distinctive graphic relief created by this specific shape also adds a contemporary touch to the design.


BLACK RAL9005
FD1930 / RHOMBUS 75
FD2329 / RHOMBUS 155

GREY RAL7016
FD1564 / RHOMBUS 75
FD2328 / RHOMBUS 155




NYLON SPACERS STACKABLE 10MM

RHOMBUS 75 (44 PCS)
■ GREY FD1643
■ BLACK FD1924
RHOMBUS 155 (24 PCS)
■ GREY FD2330
■ BLACK FD2331



21 x 75 mm
L. 1780 mm
Partial opacity
(angle 15°)




21 x 155 mm
L. 1780 mm
Total opacity
(angle 50°)

new
style



Open 100 Black - 30mm openwork



OPEN 45

OPEN 100



Controlled opening, a moving perspective..

Looking for a fence that acts as a filter rather than a complete privacy screen? OPEN slats are the solution. Installed using stackable spacers, they allow for a variable degree of openness depending on the desired use. A single spacer will provide some privacy, while stacking two or three will open up the fence more widely.

It is also possible to combine the two board heights, allowing you to play around with the overall look.


BLACK RAL9005
FD1929 / OPEN 45
FD1928 / OPEN 100

GREY RAL7016
FD1198 / OPEN 45
FD1197 / OPEN 100



NYLON SPACERS
STACKABLE 15MM

- GREY FD1653
- BLACK FD1925



green
green
green
green
green
green
green





HERA VERTICAL DECOR

H 300 x L 1750 mm

- GREY FD1010
- BLACK FD1941

HERA HORIZONTAL DECOR

H 1820 x L 584 mm

- GREY FD1011
- BLACK FD1942



CRIOS VERTICAL DECOR

H 300 x L 1750 mm

- GREY FD1213

CRIOS HORIZONTAL DECOR

H 1820 x L 584 mm

- GREY FD1214

Decors

Decorative elements add personality to your fence. They create more open spaces with vertical models or provide visual lightness with horizontal models. Laser-cut and 2 mm thick, the decorations come with elements that allow them to be inserted freely into the panels or between two posts. Depending on the model, they replace two or three fence slats.

decora





PAXOS VERTICAL DECOR


H 450 x L 1750 mm

■ GREY FD1008

PAXOS HORIZONTAL DECOR

H 1820 x L 875 mm

■ GREY FD1009



VERTICAL DECOR LAMIA

H 300 x L 1750 mm

■ GREY FD1215

LAMIA HORIZONTAL DECOR

H 1820 x L 584 mm

■ GREY FD1216

CO
ME
A
G



Gate 980 – Premium Dark Grey



A versatile and modern design

Available in two adjustable widths, the gate frames can be filled with composite or aluminum slats for perfect visual integration with the fence.

The installation of a 1830 mm threshold provides a perfect finish to your gate.

FENCING
Gates



FRAMES TO BE FILLED

980 X 1830 MM

- GREY FD1267
- BLACK FD1935

1200 X 1830 MM

- GREY FD1430



POST + CAP

90 X 90 X 2750 MM

Thickness 4mm

- GREY FD1266
- BLACK FD1945



HARDWARE

Handles, cylinder, stop, hinge, top hinge

- GREY FD1268
- BLACK FD1962



STOP PROFILE

H.1830MM

- GREY FD1985
- BLACK FD1986




GATE HINGE

- GREY FD1339
- BLACK FD1963

3000 sq ft
2000 sq ft
1000 sq ft
500 sq ft



Corner pivot – Open 45 grey



Aluminum posts

With a 75x75 cross-section, its specific architecture incorporates right angle management and provides wind resistance up to 120km/h.

Four heights are available to suit all projects.
A finishing profile is included.

75 X 75 X 1240 MM

- GREY RAL7016 FD1001
- BLACK RAL9005 FD1952

75 X 75 X 2340 MM

- GREY RAL7016 FD1003
- BLACK RAL9005 FD1921

75 X 75 X 1840 MM

- GREY RAL7016 FD1002
- BLACK RAL9005 FD1922

75 X 75 X 3000 MM

- GREY RAL7016 FD1122
- BLACK RAL9005 FD1920




Angle pivot

Developed for the BOSTON concept, this angle variator profile can be used in most installation configurations.

The pivot section accommodates the slats like a conventional post. It fits into the groove of the post.

- GREY RAL7016 FD1338
- BLACK RAL9005 FD1931



Post fixings



STAINLESS STEEL PLATE

120 × 120 × 200 mm

■ GREY COVER FD1530

■ BLACK COVER FD1934



PLATE SUPPORT FOR

LOW WALL

FD1340



POST INSERT TO BE SET

IN CONCRETE (WALL)

FD2340

Post finishes



FINISH PROFILE

ALUMINIUM

6 × 24 × 1840 mm

■ GREY FD1715

■ BLACK FD1739



PP POST CAP

COVER

75 × 75 mm

■ GREY FD1943

■ BLACK FD1944



ALUMINIUM POST

CAP

75 × 75 mm

■ GREY FD2332

■ BLACK FD2333



WALL PROFILE 28 × 24 × 1900 mm (2 pcs)

+ 12 SCREWS 4,8 × 16 mm + CAPS

■ GREY FD1278

■ BLACK FD1953



REINFORCED BOTTOM

PROFILE

(VERTICAL SLATS)

25 x 35 x 1750 mm

■ GREY FD2141

■ BLACK FD2142

TOP/BOTTOM PROFILE

25 x 30 x 1750 mm

■ GREY FD1318

■ BLACK FD1937

Panel composition



**SET OF 3 ALUMINUM
REINFORCEMENTS FOR
COMPOSITE FENCING**
FD1388



**SET OF 4 CONNECTORS
FOR PROFILE**
FD1309



CONCRETE FOUNDATION
35 x 200 X 1780 mm
FD1199



CLADD



NC

Fiberdeck®

Cladding inspired by wood, designed to last

WEO® cladding boards have been developed using the latest co-extrusion technologies to guarantee a product that will not fade for 20 years, while using 95% waste in its manufacture.

A waterproof polyethylene film protects the wood from moisture absorption and stabilizes the material. Expansion is also reduced to a minimum.



www.360.com




WEO 35 - Teak



A composite wood with exceptional natural realism.

WEO® 35 cladding combines modernity with the spirit of wood. Its false open joint profile gives rhythm to the facade. The nuanced colors and brushed texture offer a natural, warm, and contemporary look.



CEDAR
2.9M FD1536
3.9M FD1552

TEAK
2.9M FD1532
3.9M FD1549

IPE
2.9M FD1533
3.9M FD1550

LIGHT GREY
2.9M FD1534
3.9M FD1954

DARK GREY
2.9M FD1535
3.9M FD1551

EBONY BLACK
2.9M FD2102
3.9M FD2101

co
co
co
co
co




WEO 60 - Cedar



Volumes inspired by wood.

WEO® 60 cladding has a strong, elegant style. Its interplay of shadows and relief give real character to any project, whether minimalist or bold.



CEDAR
2.9M FD1567
3.9M FD1571

TEAK
2.9M FD1565
3.9M FD1569

IPE
2.9M FD1566
3.9M FD1570

DARK GREY
2.9M FD1568
3.9M FD1572



CLADDING
Composite wood

WEO 120/60 & WEO 60 - Dark Grey




WEO 120/60 & WEO 60 - Dark Grey



Reliefs that give rhythm to your projects.

With its slats in a variety of widths, it allows you to play with contrasts, rhythms, and proportions to create unique and customizable facades.



CEDAR
3.9M FD2262

TEAK
3.9M FD2259

IPE
3.9M FD2260

DARK GREY
3.9M FD2261

CLADDING
Composite wood



WELL
HOME
DESIGN




WEO Essential - Light Grey



The combination of nature and composite wood.

A sleek design, natural colors, and a wood finish that blends in with any setting. This cladding focuses on the essentials: a simple aesthetic, easy installation, and durability.



TEAK
FD1995

IPE
FD1996

LIGHT GREY
FD1998


DARK GREY
FD1997





SC
ON
TH
E
S
A
L

Finishes



ALUMINUM CLIP-ON CORNER KIT

Angle 50 x 50 mm x 3 m - WEO° 35 / WEO° 60

■ CEDAR FD2206	■ LIGHT GREY FD2205
■ TEAK FD2208	■ EBONY BLACK FD2193
■ IPE FD2207	
■ DARK GREY FD2204	



ALUMINUM F PROFILE

65 x 80 mm x 3 m - WEO° 35 / WEO° 60

■ CEDAR FD1696	■ DARK GREY FD1695
■ TEAK FD1693	■ LIGHT GREY FD1946
■ IPE FD1694	■ EBONY BLACK FD2105

35 x 45 mm x 3 m - WEO° ESSENTIAL

■ TEAK FD1948	■ DARK GREY FD1949
■ IPE FD1951	■ LIGHT GREY FD1950

CLADDING
Fixations & Finitions

Fixations



COLORED A2 STAINLESS STEEL TORX SCREWS 4.2 X 38 MM

Box of 100 + End cap – Visible fixing
+ Finishes

■ CEDAR FD1451	■ LIGHT GREY FD1449
■ TEAK FD1447	■ EBONY BLACK FD2103
■ IPE FD1448	
■ DARK GREY FD1450	



A2 STAINLESS STEEL TORX SCREWS 4.2 X 32 MM

Box of 200 (16 m²) + cap
Hidden fastening
FD1940

■ CEDAR RAL1011	■ DARK GREY RAL7022
■ TEAK RAL8024	■ LIGHT GREY RAL7006
■ IPE RAL8028	■ EBONY BLACK RAL9005

Brise Soleil






© Architect: Marcoux Mathern Associates
© Photographer: Marion Roudil

Brise Soleil 42 x 60 mm - Teak



The elegance of composite wood to enhance the light.

WEO® Brise-Soleil bring facades to life with their graphic lines and elegant wood effect. It filters light and creates changing shadows. It perfectly combines aesthetics and functionality.




42 X 145 MM L. 3M90 42 X 90 MM L. 3M90 42 X 60 MM L. 3M90

CEDAR	FD2013	FD2269	FD1947
TEAK	FD2012	FD2268	FD1910

ACCA
Architectural
Consulting
Services

Fasteners



BRISE-SOLEIL CLIP KIT – 10 PCS

Stainless steel screws A2 5.5×32 mm (20 pcs)
FD2106

ALUMINUM SUPPORT RAILS 3 M – 2 PCS

■ BLACK – RAL9005 | FD2267

THERMAL BREAK SHIMS – 40 PCS

■ BLACK – RAL9005 | FD2288



3 M ALUMINUM RAIL KIT + 2M CUT-TO-SIZE COVER

- CEDAR | FD2285
- TEAK | FD2284



FASTENING BRACKETS

Standard – 16 pcs

- CEDAR | FD2289
- TEAK | FD2286

With fins – 8 pcs

- CEDAR | FD2290
- TEAK | FD2287

Reinforcements and finishes



BRISE SOLEIL CAPS

42×60mm – 24 pcs

- CEDAR | FD1888
- TEAK | FD1887

42×90mm – 10 pcs

- CEDAR | FD2271
- TEAK | FD2270



ALUMINUM REINFORCEMENT

30×30×2mm - 3850mm

FD1915

